according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.31.2015

Cupric Oxide, Reagent Grade

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name :

Cupric Oxide, Reagent Grade

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25284

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Aquatic Acute 1 Aquatic Chronic 3

Signal word :Warning

Hazard statements: Very toxic to aquatic life Harmful to aquatic life with long lasting effects **Precautionary statements**: If medical advice is needed, have product container or label at hand Keep out of reach of children Read label before use Avoid release to the environment

Collect spillage Dispose of contents and container to an approved waste disposal plant

Other Non-GHS Classification:

WHMIS

Page 1 of 7

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.31.2015

Cupric Oxide, Reagent Grade

NFPA/HMIS





HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 1317-38-0	Cupric Oxide	100 %
		Percentages are by weight

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen.Loosen clothing and place exposed in a comfortable position.Seek medical assistance if cough or other symptoms appear.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye.Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing.Seek medical attention if irritation persists or concerned.

After swallowing: Rinse mouth with water.Do not induce vomiting. Never give anything by mouth to an unconscious person.Seek medical attention if irritation, discomfort, or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation.Shortness of breath.Headache.Nausea.Dizziness.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use means suitable to extinguishing surrounding fire.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.Copper oxides

Advice for firefighters:

Protective equipment: Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.31.2015

Cupric Oxide, Reagent Grade

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13.Keep in suitable closed containers for disposal. Pick up and arrange disposal without creating dust. Sweep up and shovel. Avoid dust generation.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing.Follow good hygiene procedures when handling chemical materials. Refer to Section 8.Follow proper disposal methods. Refer to Section 13.Do not eat, drink, smoke, or use personal products when handling chemical substances.Avoid dust generation.Use with adequate ventilation

Conditions for safe storage, including any incompatibilities:

Store in a cool location.Keep away from food and beverages.Protect from freezing and physical damage.Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Keep in a dry place.

SECTION 8 : Exposure controls/personal protection

Control Parameters:	1317-38-0, copper Oxide, NIOSH PEL TWA 0.1 mg/m3 1317-38-0, Copper Oxide, OSHA PEL TWA 1 mg/m3 (copper dust and mist) 1317-38-0, copper Oxide, OSHA PEL TWA 0.1 mg/m3 (Copper Fumes)
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
Respiratory protection:	Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls.When necessary use NIOSH approved breathing equipment.
Protection of skin:	Select glove material impermeable and resistant to the substance.Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves.Wear protective clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.31.2015	Page 4 of 7	
Cupric Oxide, Reagent Grade		
Eye protection:	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).Safety glasses or goggles are appropriate eye protection.	
General hygienic measures:	Perform routine housekeeping.Wash hands before breaks and immediately after handling the product.Avoid contact with skin, eyes, and clothing.Before rewearing wash contaminated clothing.	

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	black solid	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure:	Not Determined
Odor threshold:	not applicable	Vapor density:	Not Determined
pH-value:	not applicable	Relative density:	6.315 g/cm3
Melting/Freezing point:	1326°C / 2418.80°F	Solubilities:	Insoluble in water
Boiling point/Boiling range:	Not Determined	Partition coefficient (n- octanol/water):	Not Determined
Flash point (closed cup):	not applicable	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic:Not Determined b. Dynamic: Not Determined
Density: Not Determined	•		

SECTION 10 : Stability and reactivity

Reactivity: Nonreactive under normal conditions.

Chemical stability: Stable under normal conditions.

Possible hazardous reactions:None under normal processing.Forms explosive acetylides with acetylene in caustic solutions. Exposure to moist air at > 212F can result in spontaneous combustion.Explodes when heated with powdered aluminum; anilinium perchlorate; hydrogen; magnesium; and phthalic anhydride. **Conditions to avoid:**Incompatible materials.

Incompatible materials:Reducing agents.Hydrogen sulfide gas. Aluminium. Alkali metals. Powdered metals **Hazardous decomposition products:**Copper fumes

SECTION 11 : Toxicological information

Acute Toxicity:			
Oral:	1317-38-0 (Cupric Oxide)	LD50 Rat: >2,500 mg/kg	
Dermal:	1317-38-0 (Cupric Oxide)	LD50 Rabbit: >2000 mg/kg	
Chronic Toxicity: No additional information.			
Corrosion Irritation:			

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.31.2015

Cupric Oxide, Reagent Grade

Dermal:	1317-38-0 (Cupric Oxide)	Rabbit: No skin irritation
Ocular:	1317-38-0 (Cupric Oxide)	Rabbit: mild eye irritation
Sensitization:		guinea pig - Does not cause skin sensitisation.
Single Target	Organ (STOT):	No additional information.
Numerical Me	asures:	No additional information.
Carcinogenici	ty:	Not listed as a carcinogen (ACGIH, IARC, NTP): 1317-38-0 (Cupric Oxide)
Mutagenicity:		No additional information.
Reproductive	Toxicity:	No additional information.

SECTION 12 : Ecological information

Ecotoxicity

Fish LC50 - Oncorhynchus mykiss (rainbow trout) - 0.19 - 0.21 mg/l - 96 h: 1317-38-0 (Cupric Oxide) Invertebrates EC50 - Daphnia magna (Water flea) - 0.011 - 0.039 mg/l - 48 h: 1317-38-0 (Cupric Oxide) Persistence and degradability: The methods for determining the biological degradability are not applicable to

- inorganic substances. Bioaccumulative potential:
- Mobility in soil:

Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material.Dispose of empty containers as unused product.Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es) Packing group:Not Regulated. Environmental hazard: Transport in bulk: Special precautions for user:

SECTION 15 : Regulatory information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.31.2015

Cupric Oxide, Reagent Grade

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients is listed

SARA Section 313 (Specific toxic chemical listings):

1317-38-0 Copper oxide

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: . The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

Effective date : 01.31.2015

Effective date : 01.31.2015

Page 7 of 7

Cupric Oxide, Reagent Grade

Last updated : 03.19.2015