

***SODIUM ACETATE**
***SODIUM ACETATE**
***SODIUM ACETATE**

MATERIAL SAFETY DATA SHEET

736

FISHER SCIENTIFIC
CHEMICAL DIVISION
1 REAGENT LANE
FAIR LAWN NJ 07410
(201) 796-7100

EMERGENCY CONTACTS
GASTON L. PILLORI
(201) 796-7100

DATE: 12/07/85
PO NBR: N/A
ACCT: 415150-02
INDEX: 06-8533-10441
CAT NO: S210500

THE INFORMATION BELOW IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES.

SUBSTANCE IDENTIFICATION

CAS-NUMBER 127-09-3

SUBSTANCE: ***SODIUM ACETATE**

TRADE NAMES/SYNONYMS: ANHYDROUS SODIUM ACETATE; SODIUM ACETATE, TRIHYDRATE;
S-207; S-209; S-210; S-220; S-608

CHEMICAL FAMILY:
ORGANIC SALT

MOLECULAR FORMULA: C2-H3-NA-02 MOL WT: 82.04

CERCLA RATINGS (SCALE 0-3): HEALTH=2 FIRE=0 REACTIVITY=0 PERSISTENCE=0

COMPONENTS AND CONTAMINANTS

PERCENT: 100 COMPONENT: SODIUM ACETATE

OTHER CONTAMINANTS: NONE

EXPOSURE LIMITS:
NONE ESTABLISHED

PHYSICAL DATA

DESCRIPTION: WHITE, HYGROSCOPIC POWDER MELTING POINT: 615 F (324 C)

SPECIFIC GRAVITY: 1.5 SOLUBILITY IN WATER: 120% (TRIHYDRATE)

SOLVENT SOLUBILITY: SOLUBLE IN ALCOHOL

FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION HAZARD:
SLIGHT HAZARD IN DUST FORM WHEN EXPOSED TO HEAT OR FLAME.

FINELY DISPERSED PARTICLES ARE EXPLOSIVE.

FLASH POINT: 1125 F (607 C) **AUTOIGNITION TEMP.:** 1132 F (611 C)

FIREFIGHTING MEDIA:
DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR ALCOHOL FOAM
(1984 EMERGENCY RESPONSE GUIDEBOOK, DOT P 5800.3).

FOR LARGER FIRES, USE WATER SPRAY, FOG OR ALCOHOL FOAM
(1984 EMERGENCY RESPONSE GUIDEBOOK, DOT P 5800.3).

FIREFIGHTING:
NO ACUTE HAZARD. MOVE CONTAINER FROM FIRE AREA IF POSSIBLE. AVOID BREATHING
VAPORS OR DUSTS; KEEP UPWIND.

TOXICITY

500 MG/24 HOURS SKIN-RABBIT MILD IRRITATION; 10 MG EYE-RABBIT MILD IRRITATION;
6891 MG/KG ORAL-MOUSE LD50; 3530 MG/KG ORAL-RAT LD50; 335 MG/KG INTRAVENOUS-
MOUSE LD50; CARCINOGEN STATUS: NONE.

SODIUM ACETATE MAY IRRITATE THE EYES, SKIN, AND MUCOUS MEMBRANE, AND IS
MODERATELY TOXIC BY INGESTION.

HEALTH EFFECTS AND FIRST AID

INHALATION:
IRRITANT.

ACUTE EXPOSURE- MAY CAUSE RESPIRATORY IRRITATION, COUGH, DYSPNEA, AND RESP-
IRATORY DISTRESS.

CHRONIC EXPOSURE- MAY CAUSE MUCOUS MEMBRANE IRRITATION.

FIRST AID- REMOVE FROM EXPOSURE AREA TO FRESH AIR IMMEDIATELY. IF BREATHING
HAS STOPPED, PERFORM ARTIFICIAL RESPIRATION. KEEP AFFECTED PERSON WARM AND
AT REST. GET MEDICAL ATTENTION.

SKIN CONTACT:
IRRITANT.

ACUTE EXPOSURE- MAY CAUSE IRRITATION AND PAIN.

CHRONIC EXPOSURE- REPEATED OR PROLONGED CONTACT MAY CAUSE DERMATITIS.

FIRST AID- REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH AFFECTED
AREA WITH SOAP OR MILD DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO
EVIDENCE OF CHEMICAL REMAINS (APPROXIMATELY 15-20 MINUTES). GET MEDICAL
ATTENTION.

EYE CON
IRRITAN

ACUTE EXPOSURE- CONTACT MAY CAUSE REDNESS, PAIN, AND IRRITATION.

CHRONIC EXPOSURE- REPEATED OR PROLONGED CONTACT MAY CAUSE CONJUNCTIVITIS.

FIRST AID- WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER, OCCASIONALLY LIFTING THE UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL REMAINS (APPROXIMATELY 15-20 MINUTES). GET MEDICAL ATTENTION.

INGESTION:
MODERATELY TOXIC.

ACUTE EXPOSURE- MAY CAUSE NAUSEA, SORE THROAT, COUGHING, AND ABDOMINAL PAIN.

FIRST AID- IF VICTIM IS CONSCIOUS, IMMEDIATELY GIVE 2 TO 4 GLASSES OF WATER, AND INDUCE VOMITING BY TOUCHING FINGER TO BACK OF THROAT. GET MEDICAL ATTENTION IMMEDIATELY.

REACTIVITY

REACTIVITY:
STABLE UNDER NORMAL TEMPERATURES AND PRESSURES.

INCOMPATIBILITIES:
REACTION WITH DIKETENE MAY CAUSE VIOLENT POLYMERIZATION.
MAY FORM EXPLOSIVE MIXTURE WITH POTASSIUM NITRATE.

DECOMPOSITION:
THERMAL DECOMPOSITION MAY RELEASE ACRID SMOKE AND IRRITATING FUMES.

POLYMERIZATION:
NOT KNOWN TO OCCUR.

CONDITIONS TO AVOID

MAY BURN BUT DOES NOT IGNITE READILY. PREVENT DISPERSION OF DUST IN THE ATMOSPHERE. PROTECT CONTAINER FROM PHYSICAL DAMAGE. DO NOT STORE WITH INCOMPATIBLE SUBSTANCES.

SPILL AND LEAK PROCEDURES

OCCUPATIONAL SPILL:
WITH A CLEAN SHOVEL, PLACE MATERIAL INTO CLEAN, DRY CONTAINER AND COVER. MOVE CONTAINERS AWAY FROM SPILL AREA.

PROTECTIVE EQUIPMENT

VENTILATION:
PROVIDE LOCAL EXHAUST OR GENERAL DILUTION VENTILATION SYSTEM.

RESPIRATORY - SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE.

FIREFIGHTING- SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE
OPERATED IN PRESSURE-DEMAND OR POSITIVE-PRESSURE MODE.

CLOTHING:
EMPLOYEE MUST WEAR APPROPRIATE PROTECTIVE CLOTHING AND EQUIPMENT TO PREVENT
REPEATED OR PROLONGED SKIN CONTACT WITH THIS SUBSTANCE.

GLOVES:
EMPLOYEE MUST WEAR APPROPRIATE PROTECTIVE GLOVES TO PREVENT CONTACT WITH THIS
SUBSTANCE.

EYE PROTECTION:
EMPLOYEE MUST WEAR SPLASH-PROOF OR DUST-RESISTANT SAFETY GOGGLES AND A
FACESHIELD TO PREVENT CONTACT WITH THIS SUBSTANCE.

WHERE THERE IS ANY POSSIBILITY THAT AN EMPLOYEE'S EYES MAY BE EXPOSED TO
THIS SUBSTANCE, THE EMPLOYER SHALL PROVIDE AN EYE-WASH FOUNTAIN WITHIN THE
IMMEDIATE WORK AREA FOR EMERGENCY USE.

AUTHORIZED - ALLIED FISHER SCIENTIFIC
CREATION DATE: 02/14/85 REVISION DATE: 04/23/85

-ADDITIONAL INFORMATION-

THE INFORMATION BELOW IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST
INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF
MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO
SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS
SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE
INFORMATION FOR THEIR PARTICULAR PURPOSES.