

Code RX60

MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION

Distributor	Airex Laboratories	Emergency Phone	610-534-8900
Address	1640 Delmar Drive Folcroft, PA 19032		
Trade Name	AIRX 60	Product Type	Odor Counteractant

SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT(optional)	TLV(Source)
Isopropyl Alcohol	67-63-0		400 ppm TWA(OSHA); 400 ppm (ACGIH)

Other ingredients in this product are :

☒ Less than 1% by weight or less than 0.1% for carcinogens☒ Not hazardous☒ Declared to be Trade Secret**SECTION 3 - PHYSICAL DATA**

Boiling point(*F.)	Near 212	Specific Gravity(H2O=1.0) (± 0.005)	0.980	pH (± 0.5)	7.5
Vapor Pressure(mm Hg)	Unknown	Vapor Density(Air=1)	Unknown		
Solubility in water	☒ Complete	☐ Insoluble	☐ Emulsifiable (or Dispersible)	☐ Slight (or Partial)	
Evaporation Rate(vs. H2O)	☒ Faster	☐ Slower	☐ About the Same		
Appearance and Odor	Liquid, pleasant odor.				

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used)	Greater than 100 °F.(T.C.C.) ☐ None to Boiling(T.C.C.)	Flammable Limits	Upper	Unknown	Lower	Unknown
Extinguishing Media	CO2, dry chemical, foam, water spray					
Special Firefighting Procedures	Do not enter confined fire-spaces without protective clothing and self-contained air supply. Cool fire exposed containers.					
Unusual Fire and Explosion Hazards	None known.					

SECTION 5 - REACTIVITY DATA

Stability	Stable	Incompatibility	Strong oxidizers
Hazardous Decomposition Products	Carbon monoxide and other unidentified organic gases may occur during incomplete combustion.		

SECTION 6 - HEALTH HAZARDS

Primary Routes of Exposure	☐ Eye	☒ Skin	☒ Oral	☒ Inhalation	☐ Other
Signs and Symptoms of Overexposure (Acute)	Eyes: liquid or vapor can cause slight to moderate irritation. Skin: prolonged or repeated contact can cause dryness and irritation. Ingestion of large quantities may cause drowsiness or loss of consciousness. Stomach cramps, pain, nausea, vomiting and diarrhea may occur. Inhalation: irritation of respiratory tract, headache, nausea.				
Signs and Symptoms of Overexposure(Chronic)	None known.				
Medical Conditions Aggravated by Overexposure	Not known.		Carcinogen/Suspect Carcinogen Ingredients	☐ NTP	☐ OSHA ☐ IARC ☒ NONE

SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES

Eyes	Flush immediately with water for at least 15 minutes. Call a physician.
Skin	Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If persistent irritation occurs, call a physician.
Ingestion	Do NOT induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Call a physician.
Inhalation	Remove exposed person to fresh air. Treat symptomatically. Call a physician.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection	Not needed under normal conditions of use.		
Ventilation Requirements	☐ Local Exhaust	☒ Mechanical	☐ Other
Protective Gloves	Rubber	Eye Protection	Safety glasses/goggles
		Other Protective Clothing	May be needed if splashing or spray drift occurs.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled	Eliminate sources of ignition. Flush area with plenty of water. Large spills should be collected for disposal.
---	--

Waste Disposal Methods	Dispose of in accordance with applicable Federal, State and Local ordinances.
-------------------------------	---

SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in Handling and Storage	Avoid contact with eyes. Keep away from heat and open flame. Use with adequate ventilation. Wash thoroughly after handling.
--	---

The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form(as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, if diluted, under conditions of ordinary use.

RX60

DATE PREPARED March 16, 1997